

# 2010 DATA TABLES

The 2010 Corporate Responsibility Data Tables represent data behind Kinross 2010 corporate responsibility performance. Our global and regional performance is reported based on the criteria of Global Reporting Initiative G3 Guidelines. Available environmental performance data is reported for each site for the last five fiscal years ended December 31st for 2010, 2009, 2008, 2007, and 2006.

Environmental indicators for energy, greenhouse gases, water use, water, materials use and waste are reported on an equity-basis as per Kinross' share of ownership as follows: Round Mountain (50%), Crixás (50%), Kupol (75%) and Chirano (90%) unless otherwise stated. Data for safety performance, environmental regulatory and land use are all reported on a 100% basis. Data for Chirano and Tasiast are reported subsequent to the close of Kinross' acquisition of Red Back Mining on September 17, 2010. Environmental performance data for Tasiast and Chirano in the area of water, land, waste and material use will be reported beginning in 2011. Frequency rates in all safety data are per 200,000 hours worked.

Kinross strives to continuously improve its CR reporting process. As a result, some previously reported values have been amended. In some cases, changes are attributable to refinements in the method of data collection and in other cases corrections have been made to data reported for prior reporting years. These revised values are reflected in this updated table.

Kinross publishes a GRI G3 Corporate Responsibility Report every two years. Our next comprehensive corporate responsibility report will be published in 2012 and will report on our performance during the fiscal years 2010 and 2011. To learn more about our past performance, see the 2009 Kinross Corporate Responsibility Report on our website at <http://takingresponsibility2009.kinross.com>.

## Performance Summary - Corporate

	2010	2009	2008	2007	2006
Ore Processed (Thousand tonnes) <sup>1</sup>	<b>107,240</b>	93,164	73,650	65,336	63,636
Attributable <sup>2</sup> Gold Production (Gold equivalent ounces)	<b>2,334,104</b>	2,238,665	1,838,038	1,589,321	1,476,329
<b>Safety (100% basis)</b>					
Fatalities (Number)	<b>1</b>	2	2	1	0
Lost-time Injury Frequency Rate	<b>0.25</b>	0.18	0.69	0.62	0.45
Restricted Work Activity Frequency Rate	<b>0.08</b>	0.17	0.42	0.10	0.43
Medical Treatment Frequency Rate	<b>0.45</b>	0.71	0.65	0.64	0.66
<b>Environmental</b>					
<b>General (100% basis)</b>					
Number of Regulatory Actions	<b>3</b>	8	2	3	0
Fines Paid (US\$)	<b>22,000</b>	149,850	840	27,919	0
Number of Reportable Releases	<b>7</b>	2	0	3	1

<sup>1</sup> Represents tonnes of ore processed based on Kinross' share of ownership including Kupol (75%), Chirano (90%), Round Mountain (50%) and Crixás (50%). For 2006 and part of 2007, La Coipa and Maricunga reflects 50% ownership.

<sup>2</sup> "Attributable" includes Kinross' share of production Kupol (75%), Chirano (90%), Round Mountain (50%) and Crixás (50%).

n/r = not reported

# 2010 DATA TABLES

## Performance Summary - Corporate

	2010	2009	2008	2007	2006
<b>Environmental (continued)</b>					
<b>Energy/Greenhouse Gas</b>					
Total Energy Consumption in Gigajoules	<b>10,915,000</b>	9,240,000	7,476,000	5,810,000	5,387,000
Direct Energy Consumption in Gigajoules	<b>5,997,000</b>	4,921,000	4,591,000	3,303,000	2,855,000
Indirect Energy Consumed in Gigajoules	<b>4,918,000</b>	4,319,000	2,884,000	2,507,000	2,533,000
Energy Consumed per Tonne Ore Processed (Megajoules/Tonne)	<b>102</b>	97	92	77	68
Greenhouse Gas Emissions (Tonnes)	<b>954,000</b>	864,000	683,000	547,000	521,000
Greenhouse Gas Emissions per Tonne of Ore Processed (Kilograms/Tonne)	<b>8.9</b>	9.2	9.5	8.5	7.7
<b>Water Use <sup>3</sup></b>					
Total Water Withdrawn - Groundwater (m <sup>3</sup> )	<b>11,271,000</b>	9,403,000	9,044,000	8,257,000	6,615,000
Total Water Withdrawn - Surface Water (m <sup>3</sup> )	<b>10,163,000</b>	12,982,000	9,814,000	10,405,000	3,823,000
Total Precipitation Captured (m <sup>3</sup> )	<b>20,821,000</b>	17,433,000	11,697,000	10,777,000	16,300,000
Total Water Consumed in Ore Processing (m <sup>3</sup> )	<b>37,306,000 <sup>4</sup></b>	35,162,000	25,191,000	24,162,000	24,540,000
Water Consumed per Tonne of Ore Processed (Litres/Tonne)	<b>331</b>	343	290	302	280
Total Water Discharged - Groundwater (m <sup>3</sup> )	<b>1,231,000</b>	1,178,000	1,235,000	890,000	951,000
Total Water Discharged - Surface Water (m <sup>3</sup> )	<b>1,996,000</b>	1,132,000	1,011,000	939,000	1,353,000
<b>Significant Materials Use</b>					
Diesel Fuel (m <sup>3</sup> )	<b>146,500</b>	122,100	118,800	87,100	75,400
Cyanide (Tonnes as CN)	<b>11,308</b>	8,050	7,292	6,130	5,781
Lime (Tonnes)	<b>95,200</b>	76,200	72,800	79,900	88,300
Blasting Agents (Tonnes)	<b>40,384</b>	33,974	30,672	22,371	22,837
<b>Wastes</b>					
Waste Rock Mined (Tonnes)	<b>77,970,000</b>	47,534,000	54,713,000	64,357,000	70,691,000
Tailings Produced (Tonnes)	<b>68,474,000</b>	60,242,000	40,464,000	35,185,000	35,644,000
Hazardous Waste Disposed Onsite (Tonnes)	<b>878,754</b>	654,487	298,742	251,897	276,417
Hazardous Waste Disposed Offsite (Tonnes)	<b>470</b>	427	367	133	69
Non-hazardous Waste Disposed Onsite (Tonnes)	<b>7,707</b>	6,325	5,726	8,743	3,644
Non-hazardous Waste Disposed Offsite (Tonnes)	<b>1,935</b>	1,566	447	239	188
<b>Land Status (100% basis) <sup>5</sup></b>					
New Reclamation (hectares)	<b>175</b>	169	76	247	29
Previously Reclaimed (hectares)	<b>2,917</b>	1,608	1,532	1,315	1,319
New Disturbance (hectares)	<b>401</b>	681	474	1,070	252
Previously Disturbed and Unreclaimed (hectares)	<b>8,289</b>	6,780	6,476	5,238	5,098
Protected Habitat (hectares)	<b>4,321</b>	3,670	1,761	1,761	784

<sup>3</sup> Because of the remote location of most operations municipal water use is minimal and not reported.

<sup>4</sup> Based on Kinross's share of ownership and excludes tonnes of ore processed from Tasiast and Chirano.

<sup>5</sup> Includes current Kinross operations and closed sites excluding Tasiast and Chirano.

n/r = not reported

# 2010 DATA TABLES

## Regional Information - North American Operations

	2010	2009	2008	2007	2006
<b>Operations</b>					
<b>Fort Knox</b>					
Mining Method: Open Pit					
Processing Method: Carbon-in-pulp (CIP), gravity, heap leach					
Employees	497	484	421	390	390
Ore Processed (Tonnes) <sup>6</sup>	25,735,000	16,224,000	13,769,000	12,722,000	13,462,000
Attributable Gold Production (Gold equivalent ounces)	349,729	263,260	329,105	338,459	333,383
<b>Round Mountain</b>					
Mining Method: Open Pit					
Processing Method: Heap leach, carbon-in-leach (CIL), gravity					
Employees	715	731	705	708	677
Ore Processed (Tonnes) <sup>7</sup>	15,174,000	15,018,000	18,684,000	18,495,000	21,718,000
Attributable Gold Production (Gold equivalent ounces)	184,554	213,916	246,946	302,971	335,115
<b>Kettle River-Buckhorn</b>					
Mining Method: Underground					
Processing Method: Carbon-in-leach					
Employees	217	195	134	99	53
Ore Processed (Tonnes) <sup>8</sup>	436,000	282,000	77,000	0	0
Attributable Gold Production (Gold equivalent ounces)	198,810	173,555	27,036	0	0
<b>Safety (100% basis)</b>					
Fatalities (Number)					
Fort Knox	0	0	0	0	0
Round Mountain	0	0	0	0	0
Kettle River	0	0	0	0	0
Lost-time Injury Frequency Rate					
Fort Knox	0.00	0.28	0.17	0.00	1.47
Round Mountain	0.12	0.00	0.49	0.25	0.12
Kettle River	0.32	0.32	1.04	1.19	1.70
Restricted Work Activity Frequency Rate					
Fort Knox	0.53	1.52	0.68	0.68	2.10
Round Mountain	0.12	0.12	0.49	0.37	0.00
Kettle River	0.00	0.00	0.00	0.00	0.00
Medical Treatment Frequency Rate					
Fort Knox	0.00	0.28	0.34	0.90	2.10
Round Mountain	0.72	0.99	0.49	1.23	0.37
Kettle River	0.32	0.00	0.52	0.00	0.00

<sup>6</sup> Represents 100% basis of tonnes of ore processed.

<sup>7</sup> Represents Kinross' share of ownership in Round Mountain (50%).

<sup>8</sup> Represents 100% basis of tonnes of ore processed.

n/r = not reported

# 2010 DATA TABLES

## Regional Information - North American Operations

	2010	2009	2008	2007	2006
<b>Environmental</b>					
<b>General (100% basis)</b>					
Number of Regulatory Actions					
Fort Knox	0	0	0	0	0
Round Mountain	0	0	0	0	0
Kettle River	2	4	1	1	0
Other	0	2	1	0	0
Fines Paid (US\$)					
Fort Knox	0	0	0	0	0
Round Mountain	0	0	0	0	0
Kettle River	22,000	40,000	840	0	0
Other	0	35,000 <sup>9</sup>	0	0	0
Number of Reportable Releases					
Fort Knox	1	0	0	0	0
Round Mountain	0	0	0	0	0
Kettle River	0	0	0	1	0
<b>Energy/Greenhouse Gas</b>					
Total Energy Consumption in Gigajoules					
Fort Knox	2,370,000	2,223,000	2,216,000	1,925,000	1,941,000
Round Mountain	1,200,000	1,205,000	1,193,000	1,189,000	1,115,000
Kettle River	305,000	286,000	128,000	48,500	35,400
Direct Energy Consumption in Gigajoules					
Fort Knox	1,455,000	1,334,000	1,301,000	1,019,000	993,000
Round Mountain	925,000	929,000	892,000	879,000	808,000
Kettle River	160,000	168,000	81,800	15,600	6,600
Indirect Energy Consumed in Gigajoules					
Fort Knox	915,000	889,000	914,000	906,000	948,000
Round Mountain	276,000	276,000	301,000	309,000	307,000
Kettle River	145,000	118,000	46,300	32,900	28,800
Energy Consumed per Tonne Ore Processed (Megajoules/Tonne)					
Fort Knox	92	137	161	151	144
Round Mountain <sup>10</sup>	79	80	64	64	51
Kettle River	700	1,014	1,660	-	-
Greenhouse Gas Emissions (Tonnes)					
Fort Knox	250,000	237,000	239,000	217,000	221,000
Round Mountain	101,000	101,000	102,000	102,000	96,100
Kettle River	29,000	25,800	11,300	5,100	3,900
Greenhouse Gas Emissions per Tonne of Ore Processed (Kilograms/Tonne)					
Fort Knox	10	14.6	17.4	17	16.4
Round Mountain	7	6.7	5.4	5.5	4.4
Kettle River	66	91.6	146.3	-	-

<sup>9</sup> Fine received at closed operation DeLamar, see 2009 Corporate Responsibility Report for more detail.

<sup>10</sup> Based on Kinross' share of ownership in Round Mountain (50%).

n/r = not reported

# 2010 DATA TABLES

## Regional Information - North American Operations

	2010	2009	2008	2007	2006
<b>Environmental (continued)</b>					
<b>Water Use</b>					
Total Water Withdrawn - Groundwater (m <sup>3</sup> )					
Fort Knox	<b>2,343,000</b>	1,872,000	1,465,000	1,890,000	2,188,000
Round Mountain	<b>3,340,000</b>	3,067,000	3,497,000	3,882,000	3,454,000
Kettle River	<b>215,000</b>	169,000	150,000	7,500	10,900
Total Water Withdrawn - Surface Water (m <sup>3</sup> )					
Fort Knox	<b>151,000</b>	1,644,000	1,008,000	1,316,000	1,192,000
Round Mountain	<b>0</b>	0	0	0	0
Kettle River	<b>0</b>	0	0	0	0
Total Precipitation Captured (m <sup>3</sup> )					
Fort Knox	<b>2,263,000</b>	1,253,000	613,000	528,000	506,000
Round Mountain	<b>166,000</b>	77,000	59,000	0	0
Kettle River	<b>63,000</b>	91,000	106,000	56,000	97,000
Total Water Consumed in Ore Processing (m <sup>3</sup> )					
Fort Knox	<b>4,229,000</b>	2,897,000	1,008,000	1,192,000	1,823,000
Round Mountain	<b>1,887,000</b>	1,677,000	1,393,000	1,336,000	2,150,000
Kettle River	<b>181,000</b>	171,000	127,000	0	0
Water Consumed per Tonne of Ore Processed (Litres/Tonne)					
Fort Knox	<b>164</b>	179	73	94	135
Round Mountain <sup>11</sup>	<b>124</b>	112	77	72	99
Kettle River	<b>416</b>	607	1,649	0	0
Total Water Discharged - Groundwater (m <sup>3</sup> )					
Fort Knox	<b>0</b>	0	0	0	0
Round Mountain	<b>749,000</b>	641,000	737,000	688,000	749,000
Kettle River	<b>124,000</b>	129,000	89,000	0	0
Total Water Discharged - Surface Water (m <sup>3</sup> )					
Fort Knox	<b>0</b>	0	0	0	0
Round Mountain	<b>0</b>	0	0	0	0
Kettle River	<b>39,000</b>	0	22,500	0	0

<sup>11</sup> Based on Kinross' share of ownership in Round Mountain (50%).

n/r = not reported

# 2010 DATA TABLES

## Regional Performance Statistics - North America

	2010	2009	2008	2007	2006
<b>Environmental (continued)</b>					
<b>Land Status (100% basis)</b>					
New Reclamation (hectares)					
Fort Knox	0	13	0	12	21
Round Mountain	0	0	0	0	0
Kettle River	5	24	7	23	0
Closed Operations	28	8	37	70	8
Previously Reclaimed (hectares)					
Fort Knox	50	37	37	25	4
Round Mountain	217	217	217	253	280
Kettle River	66	42	35	12	12
Closed Operations	1,146	1,138	1,101	1,025	1,023
New Disturbance (hectares)					
Fort Knox	39	135	125	52	48
Round Mountain	62	0	1	1	108
Kettle River	0	7	50	2	2
Closed Operations	0	0	0	0	0
Previously Disturbed (hectares)					
Fort Knox	1,463	1,328	1,216	1,164	1,128
Round Mountain	2,036	2,036	2,035	1,790	1,547
Kettle River	104	102	76	81	102
Closed Operations	36	76	84	121	191
Protected Habitat (hectares)					
Kettle River	212	212	212	212	212
<b>Significant Materials Use</b>					
Diesel Fuel (m <sup>3</sup> )					
Fort Knox	39,100	36,400	35,500	27,800	27,100
Round Mountain	24,200	24,300	22,900	22,700	20,900
Kettle River	3,300	3,200	1,500	400	200
Cyanide (Tonnes as CN)					
Fort Knox	298	541	373	334	373
Round Mountain	1,577	1,914	1,621	1,890	1,811
Kettle River	522	534	47	0	0
Lime (Tonnes)					
Fort Knox	2,462	2,914	146	3,408	2,918
Round Mountain	26,325	19,201	20,427	30,194	32,197
Kettle River	997	567	137	0	0
Blasting Agents (Tonnes)					
Fort Knox	7,483	8,950	9,626	7,902	8,490
Round Mountain	5,648	5,555	6,876	5,720	5,188
Kettle River	641	733	238	210	0

n/r = not reported

# 2010 DATA TABLES

## Regional Performance Statistics - North America

	2010	2009	2008	2007	2006
<b>Environmental (continued)</b>					
<b>Wastes</b>					
Waste Rock Mined (Tonnes)					
Fort Knox	<b>18,679,000</b>	36,200	14,551,000	21,670,000	31,751,000
Round Mountain	<b>18,717,000</b>	20,040,000	20,658,000	23,717,000	19,014,000
Kettle River	<b>82,200</b>	255,000	143,000	406	0
Tailings Produced (Tonnes)					
Fort Knox	<b>17,962,000</b>	12,830,000	12,191,000	12,275,000	13,348,000
Round Mountain	<b>1,996,000</b>	1,701,000	1,744,000	1,774,000	1,672,000
Kettle River	<b>452,000</b>	282,000	787,200	0	0
Hazardous Waste Disposed Onsite (Tonnes)					
Fort Knox	<b>0</b>	0	0	0	0
Round Mountain	<b>0</b>	0	0	0	0
Kettle River	<b>1.0</b>	0	0	0	0
Hazardous Waste Disposed Offsite (Tonnes)					
Fort Knox	<b>2.1</b>	4.9	1.5	2.3	0.1
Round Mountain	<b>2.6</b>	7.7	9.7	7.0	7.8
Kettle River	<b>5.3</b>	4.1	2.8	0.3	0.3
Non-hazardous Waste Disposed Onsite (Tonnes)					
Fort Knox	<b>21.5</b>	33.6	23.1	25.3	4.1
Round Mountain	<b>792.5</b>	857.5	204.0	217.3	215.8
Kettle River	<b>0</b>	0	0	0	0
Non-hazardous Waste Disposed Offsite (Tonnes)					
Fort Knox	<b>240.0</b>	108.0	31.3	64.2	26.3
Round Mountain	<b>5.1</b>	9.5	11.7	12.6	11.3
Kettle River	<b>504.7</b>	263.0	165.0	n/r	n/r

## Regional Information - South American Operations

### Operations

#### Paracatu (Brazil)

Mining Method: Open Pit					
Processing Method: Flotation, carbon-in-leach, gravity					
Employees	<b>900</b>	827	673	603	615
Ore Processed (Tonnes) <sup>12</sup>	<b>42,658,000</b>	39,744,000	20,307,000	19,285,000	18,137,000
Attributable Gold Production (Gold equivalent ounces)	<b>482,397</b>	354,396	188,156	174,987	174,254

#### Crixás (Brazil) 50% owned

Mining Method: Underground					
Processing Method: Gravity, Merrill-Crowe					
Employees	<b>1,268</b>	965	n/r	n/r	n/r
Ore Processed (Tonnes) <sup>13</sup>	<b>566,000</b>	518,000	404,000	409,000	395,000
Attributable Gold Production (Gold equivalent ounces)	<b>74,777</b>	74,654	n/r	n/r	n/r

<sup>12</sup> Represents 100% basis of tonnes of ore processed.

<sup>13</sup> Represents Kinross' share of ownership in Crixás (50%).

n/r = not reported

# 2010 DATA TABLES

## Regional Information - South American Operations

	2010	2009	2008	2007	2006
<b>Operations (continued)</b>					
<b>Maricunga (Chile)</b>					
Mining Method: Open Pit					
Processing Method: Heap leach					
Employees	<b>465</b>	452	431	406	398
Ore Processed (Tonnes) <sup>14</sup>	<b>14,267,000</b>	15,613,000	15,027,000	12,603,000	7,361,000
Attributable Gold Production (Gold equivalent ounces)	<b>156,590</b>	233,585	221,882	205,750	116,868
<b>La Coipa (Chile)</b>					
Mining Method: Open Pit					
Processing Method: Mill, Merrill-Crowe					
Employees	<b>414</b>	402	424	n/r	n/r
Ore Processed (Tonnes) <sup>15</sup>	<b>4,445,000</b>	4,907,000	4,918,000	1,822,000	2,563,000
Attributable Gold Production (Gold equivalent ounces)	<b>196,330</b>	231,169	226,293	197,554	155,180

## Regional Performance Statistics - South America

### Safety (100% basis)

<b>Fatalities (Number)</b>					
Paracatu	<b>0</b>	0	0	0	0
Crixás	<b>0</b>	0	1	1	0
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>0</b>	0	0	0	0
Fruta Del Norte	<b>0</b>	0	-	-	-
Lobo-Marte	<b>0</b>	0	-	-	-
<b>Lost-time Injury Frequency Rate</b>					
Paracatu	<b>0.09</b>	0.07	0.50	0.31	0.07
Crixás	<b>0.08</b>	0.14	n/r	n/r	n/r
Maricunga	<b>0.66</b>	0.26	1.53	1.50	0.75
La Coipa	<b>0.00</b>	0.43	0.59	n/r	n/r
Fruta Del Norte	<b>0.08</b>	0.00	-	-	-
Lobo-Marte	<b>0.00</b>	0.00	-	-	-
<b>Restricted Work Activity Frequency Rate</b>					
Paracatu	<b>0.00</b>	0.00	0.71	0.03	0.07
Crixás	<b>0.00</b>	0.00	n/r	n/r	n/r
Maricunga	<b>0.00</b>	0.00	0.00	0.00	0.00
La Coipa	<b>0.00</b>	0.00	0.00	n/r	n/r
Fruta Del Norte	<b>0.00</b>	0.41	-	-	-
Lobo-Marte	<b>0.00</b>	0.00	-	-	-
<b>Medical Treatment Frequency Rate</b>					
Paracatu	<b>0.37</b>	0.72	0.41	0.49	0.29
Crixás	<b>1.44</b>	1.58	n/r	n/r	n/r
Maricunga	<b>0.00</b>	0.00	0.19	0.35	0.75
La Coipa	<b>0.00</b>	0.32	0.49	n/r	n/r
Fruta Del Norte	<b>1.61</b>	0.81	-	-	-
Lobo-Marte	<b>0.51</b>	0.00	-	-	-

<sup>14</sup> Represents 100% of tonnes of ore processed except for reporting years 2007, which reflects Kinross' 50% ownership until 2/27/2007, and 2006, which reflects 50% ownership.

<sup>15</sup> Represents 100% of tonnes of ore processed except for reporting years 2007, which reflects Kinross' 50% ownership until 12/21/2007, and 2006, which reflects 50% ownership.

n/r = not reported



# 2010 DATA TABLES

## Regional Performance Statistics - South America

	2010	2009	2008	2007	2006
<b>Environmental</b>					
<b>General (100% basis)</b>					
Number of Regulatory Actions					
Paracatu	1	1	0	0	0
Crixás	0	0	0	0	0
Maricunga	0	0	0	0	0
La Coipa	0	0	0	1	0
Other	0	1	0	0	0
Fines Paid					
Paracatu	0	74,850	0	0	0
Crixás	0	0	0	0	0
Maricunga	0	0	0	0	0
La Coipa	0	0	0	22,800	0
Number of Reportable Releases					
Paracatu	2	0	0	0	0
Crixás	0	0	0	0	0
Maricunga	0	0	0	0	0
La Coipa	0	0	0	0	0
<b>Energy/Greenhouse Gas</b>					
Total Energy Consumption in Gigajoules					
Paracatu	3,110,000	2,802,000	1,183,000	1,081,000	1,044,000
Crixás	217,000	84,200	68,800	n/r	n/r
Maricunga	1,127,000	981,000	852,000	748,000	750,000
La Coipa	952,000	978,000	947,000	504,000	537,000
Direct Energy Consumption in Gigajoules					
Paracatu	587,000	575,000	385,000	330,000	323,000
Crixás	69,000	84,100	68,700	n/r	n/r
Maricunga	834,000	687,000	563,000	468,000	475,000
La Coipa	461,000	463,000	412,000	242,000	256,000
Indirect Energy Consumed in Gigajoules					
Paracatu	2,523,000	2,227,000	799,000	751,000	721,000
Crixás	148,000	134	111	n/r	n/r
Maricunga	294,000	294,000	289,000	279,000	275,000
La Coipa	492,000	515,000	535,000	262,000	281,000
Energy Consumed per Tonne Ore Processed (Megajoules/Tonne)					
Paracatu	73	70	58	56	58
Crixás	383	163	341	n/r	n/r
Maricunga	79	63	57	55	51
La Coipa	214	199	193	284	210
Greenhouse Gas Emissions (Tonnes)					
Paracatu	230,000	188,000	82,900	79,400	76,700
Crixás	16,000	4,800	4,000	n/r	n/r
Maricunga	100,000	89,300	79,400	70,800	70,500
La Coipa	98,000	102,000	100,000	52,100	55,900
Greenhouse Gas Emissions per Tonne of Ore Processed (Kilograms/Tonne)					
Paracatu	5	4.7	4.1	4.1	4.2
Crixás	28	9.3	19.7	n/r	n/r
Maricunga	7	5.7	5.3	5.2	4.8
La Coipa	22	20.7	20.4	29.4	21.8

n/r = not reported

# 2010 DATA TABLES

## Regional Performance Statistics - South America

	2010	2009	2008	2007	2006
<b>Environmental (continued)</b>					
<b>Water Use</b>					
Total Water Withdrawn - Groundwater (m <sup>3</sup> )					
Paracatu	<b>30,100</b>	29,300	32,600	32,600	32,600
Crixás	<b>1,147,000</b>	29,500	n/r	n/r	n/r
Maricunga	<b>2,122,000</b>	2,216,000	2,007,000	1,628,000	37,500
La Coipa	<b>2,045,000</b>	2,002,000	1,785,000	779,000	892,000
Total Water Withdrawn - Surface Water (m <sup>3</sup> )					
Paracatu	<b>9,749,000</b>	11,108,000	8,479,000	9,034,000	2,631,000
Crixás	<b>0</b>	0	n/r	n/r	n/r
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>0</b>	0	0	0	0
Total Precipitation Collected (m <sup>3</sup> )					
Paracatu	<b>17,618,000</b>	15,524,000	10,516,000	10,193,000	15,697,000
Crixás	<b>300,000</b>	n/r	n/r	n/r	n/r
Maricunga	<b>n/r</b>	n/r	n/r	n/r	n/r
La Coipa	<b>177</b>	n/r	n/r	n/r	n/r
Total Water Consumed in Ore Processing (m <sup>3</sup> )					
Paracatu	<b>27,317,000</b>	26,632,000	18,996,000	19,227,000	18,329,000
Crixás	<b>n/r</b>	n/r	n/r	n/r	n/r
Maricunga	<b>1,965,000</b>	2,174,000	2,201,000	1,870,000	1,555,000
La Coipa	<b>1,145,000</b>	988,000	1,326,000	537,000	683,000
Water Consumed per Tonne of Ore Processed (Litres/Tonne)					
Paracatu	<b>640</b>	670	935	997	1,011
Crixás	<b>n/r</b>	n/r	n/r	n/r	n/r
Maricunga	<b>138</b>	139	146	137	106
La Coipa	<b>258</b>	201	270	303	266
Total Water Discharged - Groundwater (m <sup>3</sup> )					
Paracatu	<b>0</b>	0	0	0	0
Crixás	<b>0</b>	0	n/r	n/r	n/r
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>358,000</b>	408,000	409,000	202,000	202,000
Total Water Discharged - Surface Water (m <sup>3</sup> )					
Paracatu	<b>1,051,000</b>	1,051,000	965,000	901,000	1,353,000
Crixás	<b>904,500</b>	79,400	n/r	n/r	n/r
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>0</b>	0	0	0	0

n/r = not reported

# 2010 DATA TABLES

## Regional Performance Statistics - South America

	2010	2009	2008	2007	2006
<b>Environmental (continued)</b>					
<b>Land Status (100% basis)</b>					
New Reclamation (hectares)					
Paracatu	126	113	25	142	0
Crixás	13	n/r	n/r	n/r	n/r
Maricunga	0	0	0	0	0
La Coipa	0	0	0	0	0
Previously Reclaimed (hectares)					
Paracatu	411	167	142	0	0
Crixás	1,012	n/r	n/r	n/r	n/r
Maricunga	0	0	0	0	0
La Coipa	0	0	0	0	0
New Disturbance (hectares)					
Paracatu	190	345	277	84	74
Crixás	10	n/r	n/r	n/r	n/r
Maricunga	78	11	0	0	0
La Coipa	21	21	21	24	20
Previously Disturbed (hectares)					
Paracatu	1,667	1,448	1,284	1,225	1,293
Crixás	1,002	n/r	n/r	n/r	n/r
Maricunga	746	735	735	735	735
La Coipa	188	167	147	123	103
Protected Habitat (hectares)					
Paracatu	4,079	3,428	1,519	1,519	542
Maricunga	27	27	27	27	27
La Coipa	3	3	3	3	3
<b>Significant Materials Use</b>					
Diesel Fuel (m <sup>3</sup> )					
Paracatu	15,900	9,000	9,000	9,000	8,800
Crixás	1,900	1,700	1,500	n/r	n/r
Maricunga	21,000	17,000	13,700	11,100	11,500
La Coipa	12,500	12,500	11,100	6,500	6,900
Cyanide (Tonnes as CN)					
Paracatu	745	590	251	280	370
Crixás	148	164	n/r	n/r	n/r
Maricunga	5,162	2,460	2,967	2,563	2,225
La Coipa	2,300	1,307	1,697	1,063	1,002
Lime (Tonnes)					
Paracatu	5,767	5,800	2,492	1,718	1,427
Crixás	449	473	n/r	n/r	n/r
Maricunga	41,538	24,527	32,380	39,719	44,230
La Coipa	12,176	12,698	11,113	4,815	7,494
Blasting Agents (Tonnes)					
Paracatu	7,796	5,992	897	38	88
Crixás	366	635	n/r	n/r	n/r
Maricunga	10,002	6,546	8,295	6,295	5,998
La Coipa	6,541	3,593	3,370	1,232	3,073

n/r = not reported

# 2010 DATA TABLES

## Regional Performance Statistics - South America

	2010	2009	2008	2007	2006
<b>Environmental (continued)</b>					
<b>Wastes</b>					
Waste Rock Mined (Tonnes)					
Paracatu	<b>1,460,000</b>	2,290,000	160,000	0	0
Crixás	<b>380,000</b>	n/r	n/r	n/r	n/r
Maricunga	<b>13,752,000</b>	10,988,000	10,793,000	10,750,000	11,154,000
La Coipa	<b>21,029,000</b>	10,434,000	7,889,000	5,457,000	8,771,000
Tailings Produced (Tonnes)					
Paracatu	<b>41,779,000</b>	39,090,000	20,917,000	19,033,000	17,861,000
Crixás	<b>590,000</b>	497,000	n/r	n/r	n/r
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>4,645,000</b>	4,984,000	5,047,000	2,103,000	2,763,000
Hazardous Waste Disposed Onsite (Tonnes)					
Paracatu	<b>878,707</b>	654,419	298,738	251,889	276,417
Crixás	<b>0</b>	n/r	n/r	n/r	n/r
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>0</b>	0	0	0	0
Hazardous Waste Disposed Offsite (Tonnes)					
Paracatu	<b>278.9</b>	222.1	131.8	26.2	30.3
Crixás	<b>48.7</b>	0	n/r	n/r	n/r
Maricunga	<b>43.2</b>	39.0	79.0	15.0	12.0
La Coipa	<b>89.2</b>	149.0	142.6	82.2	18.9
Non-hazardous Waste Disposed Onsite (Tonnes)					
Paracatu	<b>2,417</b>	892	1,427	1,574	1,537
Crixás	<b>8.2</b>	n/r	n/r	n/r	n/r
Maricunga	<b>872</b>	2,248	3,308	2,672	1,727
La Coipa	<b>1,829</b>	533	490	150	160
Non-hazardous Waste Disposed Offsite (Tonnes)					
Paracatu	<b>870</b>	1,186	239	162	150
Crixás	<b>0</b>	n/r	n/r	n/r	n/r
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>0</b>	0	0	0	0

n/r = not reported

# 2010 DATA TABLES

## Regional Information - Russian Operations

	2010	2009	2008	2007
<b>Operations</b>				
<b>Kupol</b>				
Mining Method: Open Pit and Underground				
Processing Method: Merrill-Crowe				
Employees	1,092	1,023	988	555
Ore Processed (Tonnes) <sup>16</sup>	872,000	858,000	464,000	0
Attributable Gold Production (Gold equivalent ounces)	554,008	694,130	469,907	0

## Regional Performance Statistics - Russia

### Safety (100% basis)

Fatalities (Number)				
Kupol	1	2	1	0
Lost-time Injury Frequency Rate				
Kupol	0.25	0.28	0.74	1.27
Restricted Work Activity Frequency Rate				
Kupol	0.06	0.21	0.17	0.00
Medical Treatment Frequency Rate				
Kupol	0.25	0.63	0.50	0.68

### Environmental

#### General (100% basis)

Number of Regulatory Actions				
Kupol	0	0	0	1
Fines Paid (US\$)				
Kupol	0	0	0	1,090
Other	0	0	0	4,029
Reportable Releases (m <sup>3</sup> )				
Kupol	2	2	0	0
Other	0	0	0	1

#### Energy/Greenhouse Gas

Total Energy Consumption in Gigajoules				
Kupol	1,143,000	682,000	888,000	362,000
Direct Energy Consumption in Gigajoules				
Kupol	1,143,000	682,000	888,000	362,000
Indirect Energy Consumed in Gigajoules				
Kupol	0	0	0	0
Energy Consumed per Tonne Ore Processed (Megajoules/Tonne)				
Kupol	1,300	596	1,369	-
Greenhouse Gas Emissions (Tonnes)				
Kupol	83,818	50,100	65,200	26,600
Greenhouse Gas Emissions per Tonne of Ore Processed (Kilograms/Tonne)	96	43.8	100.5	-

<sup>16</sup> Represents Kinross' share of ownership in Kupol (75%).

n/r = not reported

# 2010 DATA TABLES

## Regional Performance Statistics - Russia

	2010	2009	2008	2007
<b>Environmental (continued)</b>				
<b>Water Use</b>				
Total Water Withdrawn - Groundwater (m <sup>3</sup> )				
Kupol	<b>28,700</b>	17,800	107,000	37,500
Total Water Withdrawn - Surface Water (m <sup>3</sup> )				
Kupol	<b>263,000</b>	230,000	327,000	54,900
Total Precipitation Collected (m <sup>3</sup> )				
Kupol	<b>411,000</b>	488,000	403,000	0
Total Water Consumed in Ore Processing (m <sup>3</sup> )				
Kupol	<b>582,000</b>	623,000	140,000	0
Water Consumed per Tonne of Ore Processed (Litres/Tonne)				
Kupol	<b>667</b>	726	303	0
Total Water Discharged - Groundwater (m <sup>3</sup> )				
Kupol	<b>0</b>	0	0	0
Total Water Discharged - Surface Water (m <sup>3</sup> )				
Kupol	<b>1,500</b>	1,800	23,300	37,600
<b>Land Status (100% basis)</b>				
New Reclamation (hectares)				
Kupol	<b>3</b>	11	7	0
Previously Reclaimed (hectares)				
Kupol	<b>15</b>	7	0	0
New Disturbance (hectares)				
Kupol	<b>1</b>	162	0	907
Previously Disturbed (hectares)				
Kupol	<b>1,048</b>	889	900	0
<b>Significant Materials Use</b>				
Diesel Fuel (m <sup>3</sup> )				
Kupol	<b>28,667</b>	18,000	23,600	9,600
Cyanide (Tonnes as CN)				
Kupol	<b>557</b>	540	336	0
Lime (Tonnes)				
Kupol	<b>5,456</b>	10,037	6,134	0
Blasting Agents (Tonnes)				
Kupol	<b>1,907</b>	1,970	1,370	1,004
<b>Wastes</b>				
Waste Rock Mined (Tonnes)				
Kupol	<b>3,490,000</b>	3,490,000	520,000	2,762,000
Tailings Produced (Tonnes)				
Kupol	<b>1,050,000</b>	858,000	486,000	0
Hazardous Waste Disposed Onsite (Tonnes)				
Kupol	<b>45.2</b>	68.1	4.7	7.7
Hazardous Waste Disposed Offsite (Tonnes)				
Kupol	<b>0</b>	0	0	0
Non-hazardous Waste Disposed Onsite (Tonnes)				
Kupol	<b>1,767</b>	1,761	274	4,105
Non-hazardous Waste Disposed Offsite (Tonnes)				
Kupol	<b>315</b>	0	0	0

n/r = not reported

# 2010 DATA TABLES

## Regional Information - West Africa

	2010
<b>Operations</b>	
<b>Chirano (Ghana)<sup>17</sup></b>	
Mining Method: Open Pit and Underground	
Processing Method: Carbon-in-leach	
Employees	425
Ore Processed (Tonnes) <sup>18</sup>	1,028,000
Attributable Gold Production (Gold equivalent ounces) <sup>19</sup>	80,298
<b>Tasiast (Mauritania)<sup>20</sup></b>	
Mining Method: Open Pit	
Processing Method: Carbon-in-leach, heap leaching	
Employees	689
Ore Processed (Tonnes) <sup>21</sup>	2,059,000
Attributable Gold Production (Gold equivalent ounces)	56,611

## Regional Performance Statistics - West Africa

<b>Safety (100% basis)</b>	
Fatalities (Number)	
Chirano	0
Tasiast	0
Lost-time Injury Frequency Rate	
Chirano	0.26
Tasiast	0.0
Restricted Work Activity Frequency Rate	
Chirano	0.26
Tasiast	0.0
Medical Treatment Frequency Rate	
Chirano	1.43
Tasiast	2.44

<sup>17</sup> Results are subsequent to the close of the Red Back acquisition on September 17, 2010. Data for environmental performance will be reported beginning with the fiscal year 2011.

<sup>18</sup> Represents Kinross' share of ownership in Chirano (90%).

<sup>19</sup> Attributable includes Kinross' share of Chirano (90%) production.

<sup>20</sup> Results are subsequent to the close of the Red Back acquisition on September 17, 2010. Data for environmental performance will be reported beginning with the fiscal year 2011.

<sup>21</sup> Represents 100% basis of tonnes of ore processed.

# 2010 DATA TABLES

## Regional Performance Statistics - West Africa

	2010
<b>Environmental</b>	
<b>General (100% basis)</b>	
Number of Regulatory Actions	
Chirano	0
Tasiast	0
Fines Paid	
Chirano	0
Tasiast	0
Number of Reportable Releases	
Chirano	1
Tasiast	1
<b>Energy/Greenhouse Gas</b>	
Total Energy Consumption in Gigajoules	
Tasiast	353,000
Chirano	136,000
Direct Energy Consumption in Gigajoules	
Tasiast	353,000
Chirano	10,000
Indirect Energy Consumed in Gigajoules	
Tasiast	0
Chirano	126,000
Energy Consumed per Tonne Ore Processed (Megajoules/Tonne)	
Tasiast	162
Chirano	137
Greenhouse Gas Emissions (Tonnes)	
Tasiast	26,000
Chirano	21,000
Greenhouse Gas Emissions per Tonne of Ore Processed (Kilograms/Tonne)	
Tasiast	12
Chirano	21