

# 2011 Data tables

The 2011 Data Tables are an indicator supplement to Kinross' 2011 Corporate Responsibility Report and represent our 2011 corporate responsibility performance based on the criteria of Global Reporting Initiative G3 Guidelines. Available performance data is reported both on a corporate-wide and site-specific basis for the last five fiscal years ended December 31st for 2011, 2010, 2009, 2008, and 2007.

Environmental indicators for energy, greenhouse gases, water use, water, materials use and waste are reported on an equity-basis as per Kinross' share of ownership as follows: Round Mountain (50%), Kupol (75% until April 27, 2011 and 100% ownership thereafter) and Chirano (90%) unless otherwise stated. Data for safety performance, environmental regulatory and land use are all reported on a 100% basis. Data for Chirano and Tasiast are reported subsequent to the close of Kinross' acquisition of Red Back Mining on September 17, 2010 excluding detailed environmental data for 2010. Frequency rates in all safety data are per 200,000 hours worked. Safety performance data has also been reported for our non-operating growth projects at Fruta del Norte, Lobo-Marté and Dvoinoye. On June 28, 2012, Kinross announced that it had completed the sale of its 50% ownership position in the Crixás mine (Serra Grande) to an affiliate of Anglo-Gold Ashanti. As a result, we have not reported on environmental performance for Crixás for 2011 and prior reporting years but we have included 2011 data in the areas of safety and energy performance. Environmental data reported on a corporate-wide basis has been adjusted for 2010 and 2009 to reflect the removal of performance data for Crixás.

## PERFORMANCE SUMMARY – CORPORATE

	2011	2010	2009	2008	2007
Ore Processed (Tonnes) <sup>1</sup>	<b>127,497,000</b>	107,240,000	93,164,000	73,650,000	65,336,000
Attributable <sup>2</sup> Gold Production (Gold equivalent ounces)	<b>2,610, 373</b>	2,334,104	2,238,665	1,838,038	1,589,321
<b>Safety (100% basis)</b>					
Fatalities (Number)	<b>1</b>	1	2	2	1
Lost-time Injury Frequency Rate	<b>0.29</b>	0.24	0.18	0.69	0.62
Restricted Work Activity Frequency Rate	<b>0.18</b>	0.07	0.17	0.42	0.10
Medical Treatment Frequency Rate	<b>0.46</b>	0.55	0.71	0.65	0.64
<b>Environmental</b>					
<b>General (100% basis)</b>					
Number of Regulatory Actions	<b>2</b>	3	8	2	3
Fines Paid (US\$)	<b>2,700</b>	22,000	149,850	840	27,919
Number of Reportable Releases	<b>10</b>	7	2	0	3

<sup>1</sup> Represents tonnes of ore processed based on Kinross' share of ownership including Kupol (75% until April 27, 2011 and 100% thereafter), Chirano (90%), Round Mountain (50%) and Crixás (50%). For 2006 and part of 2007, La Coipa and Maricunga reflects 50% ownership.

<sup>2</sup> "Attributable" includes Kinross' share of production Kupol (75% until April 27, 2011 and 100% thereafter), Chirano (90%), Round Mountain (50%) and Crixás (50%).

# 2011 Data tables

## PERFORMANCE SUMMARY – CORPORATE

	2011	2010	2009	2008	2007
<b>Environmental (continued)</b>					
<b>Energy/Greenhouse Gas</b>					
Total Energy Consumption in Gigajoules	<b>14, 191,000</b>	10,915,000	9,240,000	7,476,000	5,810,000
Direct Energy Consumption in Gigajoules	<b>8,875,000</b>	5,997,000	4,921,000	4,591,000	3,303,000
Indirect Energy Consumed in Gigajoules	<b>5,316,000</b>	4,918,000	4,319,000	2,884,000	2,507,000
Energy Consumed per Tonne Ore Processed (Megajoules/Tonne)	<b>110</b>	102	99	102	89
Greenhouse Gas Emissions (Tonnes)	<b>1,220,000</b>	954,000	864,099	683,102	547,089
Greenhouse Gas Emissions per Tonne of Ore Processed (Kilograms/Tonne)	<b>9.6</b>	8.9	9.2	9.5	8.5
<b>Water Use<sup>3</sup></b>					
Total Water Withdrawn – Groundwater (m <sup>3</sup> )	<b>8,187,000</b>	8,079,000	7,372,000	7,154,000	7,475,000
Total Water Withdrawn – Surface Water (m <sup>3</sup> )	<b>11,945,000</b>	10,163,000	12,982,000	9,814,000	10,405,000
Total Water Withdrawn – Precipitation Captured (m <sup>3</sup> )	<b>30,016,000</b>	20,521,000	17,433,000	11,697,000	10,777,000
Total Water Withdrawn – Salt/Brackish Water	<b>5,924,000</b>	2,045,000	2,202,000	1,785,000	779,000
Total Water Consumed in Ore Processing (m <sup>3</sup> )	<b>48,456,000</b>	37,306,000 <sup>4</sup>	35,162,000	25,191,000	24,162,000
Water Consumed per Tonne of Ore Processed (Litres/Tonne)	<b>351</b>	331	343	290	302
Total Water Throughput-Process (m <sup>3</sup> )	<b>173,940,000</b>	172,908,000	127,715,000	107,970,000	100,795,000
Total water withdrawal (net)	<b>54,105,000</b>	40,807,000	39,787,000	30,555,000	29,437,000
Recycled Water (percentage of Total Water Withdrawn)	<b>321</b>	424	321	353	342
Total Water Discharged – Groundwater (m <sup>3</sup> )	<b>1,670,000</b>	1,231,000	1,178,000	1,235,000	890,000
Total Water Discharged – Surface Water (m <sup>3</sup> )	<b>2,153,000</b>	1,092,000	1,052,000	1,011,000	939,000
<b>Significant Materials Use</b>					
Diesel Fuel (m <sup>3</sup> )	<b>237,600</b>	144,600	120,400	117,300	87,100
Heavy Fuel Oil (m <sup>3</sup> )	<b>10,000</b>	0	0	0	0
Cyanide (Tonnes as CN)	<b>15,553</b>	11,160	7,886	7,292	6,130
Lime (Tonnes)	<b>168,200</b>	94,800	75,700	72,800	79,900
Blasting Agents (Tonnes)	<b>58,348</b>	40,018	33,339	30,672	22,371
<b>Wastes</b>					
Waste Rock Mined (Tonnes)	<b>149,805,000</b>	77,590,000	47,534,000	54,713,000	64,357,000
Tailings Produced (Tonnes)	<b>71,750,000</b>	67,884,000	59,745,000	40,464,000	35,185,000
Hazardous Waste Disposed On Site (Tonnes)	<b>971,917</b>	878,754	654,487	298,742	251,897
Hazardous Waste Disposed Off Site (Tonnes)	<b>1,195</b>	421	427	367	133
Non-hazardous Waste Disposed On Site (Tonnes)	<b>22,313<sup>5</sup></b>	7,699	6,325	5,726	8,743
Non-hazardous Waste Disposed Off Site (Tonnes)	<b>2,324</b>	1,935	1,566	447	239
<b>Land Status (100% basis)<sup>6</sup></b>					
New Reclamation (hectares)	<b>127</b>	162	169	76	247
Previously Reclaimed (hectares)	<b>2,054</b>	1,905	1,608	1,532	1,315
New Disturbance (hectares)	<b>4,358</b>	391	681	474	1,070
Previously Disturbed and Unreclaimed (hectares)	<b>8,776</b>	7,287	6,780	6,476	5,238
Protected Habitat (hectares)	<b>5,661</b>	4,321	3,670	1,761	1,761

<sup>3</sup> Because of the remote location of most operations municipal water use is minimal and not reported.

<sup>4</sup> Based on Kinross's share of ownership and excludes tonnes of ore processed from Tasiast and Chirano.

<sup>5</sup> Includes a one-time amount of 15,981 tonnes of petroleum-contaminated soils at Round Mountain, which had been stored in mine site bioremediation cells. In 2011 these soils were characterized as non-hazardous waste and disposed of in a permitted on-site facility.

<sup>6</sup> Includes current Kinross operations and closed sites.

# 2011 Data tables

## REGIONAL INFORMATION – NORTH AMERICAN OPERATIONS

	2011	2010	2009	2008	2007
<b>Operations</b>					
<b>Fort Knox</b>					
Mining Method: Open Pit					
Processing Method: Carbon-in-pulp (CIP), gravity, heap leach					
Employees	517	497	484	421	390
Ore Processed (Tonnes) <sup>7</sup>	31,078,000	25,735,000	16,224,000	13,769,000	12,722,000
Attributable Gold Production (Gold equivalent ounces)	289,794	349,729	263,260	329,105	338,459
<b>Round Mountain</b>					
Mining Method: Open Pit					
Processing Method: Heap leach, carbon-in-leach (CIL), gravity					
Employees	763	715	731	705	708
Ore Processed (Tonnes) <sup>8</sup>	15,515,000	15,174,000	15,018,000	18,684,000	18,495,000
Attributable Gold Production (Gold equivalent ounces)	187,444	184,554	213,916	246,946	302,971
<b>Kettle River-Buckhorn</b>					
Mining Method: Underground					
Processing Method: Carbon-in-leach					
Employees	226	217	195	134	99
Ore Processed (Tonnes) <sup>9</sup>	443,000	436,000	282,000	77,000	0
Attributable Gold Production (Gold equivalent ounces)	175,292	198,810	173,555	27,036	0
<b>Safety (100% basis)</b>					
Fatalities (Number)					
Fort Knox	1	0	0	0	0
Round Mountain	0	0	0	0	0
Kettle River	0	0	0	0	0
Lost-time Injury Frequency Rate					
Fort Knox	0.14	0.00	0.28	0.17	0.00
Round Mountain	0.00	0.12	0.00	0.49	0.25
Kettle River	0.00	0.32	0.32	1.04	1.19
Restricted Work Activity Frequency Rate					
Fort Knox	0.41	0.53	1.52	0.68	0.68
Round Mountain	0.32	0.12	0.12	0.49	0.37
Kettle River	0.83	0.00	0.00	0.00	0.00
Medical Treatment Frequency Rate					
Fort Knox	0.82	0.00	0.28	0.34	0.90
Round Mountain	0.95	0.72	0.99	0.49	1.23
Kettle River	0.55	0.32	0.00	0.52	0.00

<sup>7</sup> Represents 100% basis of tonnes of ore processed.

<sup>8</sup> Represents Kinross' share of ownership in Round Mountain (50%).

<sup>9</sup> Represents 100% basis of tonnes of ore processed.

# 2011 Data tables

## REGIONAL INFORMATION – NORTH AMERICAN OPERATIONS

	2011	2010	2009	2008	2007
<b>Environmental</b>					
<b>General (100% basis)</b>					
Number of Regulatory Actions					
Fort Knox	0	0	0	0	0
Round Mountain	0	0	0	0	0
Kettle River	1	2	4	1	1
Other	0	0	2	1	0
Fines Paid (US\$)					
Fort Knox	0	0	0	0	0
Round Mountain	0	0	0	0	0
Kettle River	0	22,000	40,000	840	0
Other	0	0	35,000 <sup>10</sup>	0	0
Number of Reportable Releases					
Fort Knox	1	1	0	0	0
Round Mountain	0	0	0	0	0
Kettle River	0	0	0	0	1
<b>Energy/Greenhouse Gas</b>					
Total Energy Consumption in Gigajoules					
Fort Knox	<b>2,277,000</b>	2,370,000	2,223,000	2,216,000	1,925,000
Round Mountain	<b>1,279,000</b>	1,200,000	1,205,000	1,193,000	1,189,000
Kettle River	<b>342,000</b>	305,000	286,000	128,000	48,500
Direct Energy Consumption in Gigajoules					
Fort Knox	<b>1,364,000</b>	1,455,000	1,334,000	1,301,000	1,019,000
Round Mountain	<b>988,000</b>	925,000	929,000	892,000	879,000
Kettle River	<b>187,000</b>	160,000	168,000	81,800	15,600
Indirect Energy Consumed in Gigajoules					
Fort Knox	<b>914,000</b>	915,000	889,000	914,000	906,000
Round Mountain	<b>291,000</b>	276,000	276,000	301,000	309,000
Kettle River	<b>155,000</b>	145,000	118,000	46,300	32,900
Energy Consumed per Tonne Ore Processed (Megajoules/Tonne)					
Fort Knox	<b>73</b>	92	137	161	151
Round Mountain <sup>11</sup>	<b>82</b>	79	80	64	64
Kettle River	<b>771</b>	700	1,014	1,660	0
Greenhouse Gas Emissions (Tonnes)					
Fort Knox	<b>243,000</b>	250,000	237,000	239,000	217,000
Round Mountain	<b>107,000</b>	101,000	101,000	102,000	102,000
Kettle River	<b>31,000</b>	29,000	25,800	11,300	5,100
Greenhouse Gas Emissions per Tonne of Ore Processed (Kilograms/Tonne)					
Fort Knox	<b>8</b>	10	14.6	17.4	17
Round Mountain	<b>7</b>	7	6.7	5.4	5.5
Kettle River	<b>71</b>	66	91.6	146.3	0

<sup>10</sup> Fine received at closed operation DeLamar, see 2009 Corporate Responsibility Report for more detail.

<sup>11</sup> Based on Kinross' share of ownership in Round Mountain (50%).

# 2011 Data tables

## REGIONAL INFORMATION – NORTH AMERICAN OPERATIONS

	2011	2010	2009	2008	2007
<b>Environmental (continued)</b>					
<b>Water Use</b>					
Total Water Withdrawn – Groundwater (m <sup>3</sup> )					
Fort Knox	<b>1,660,000</b>	2,343,000	1,872,000	1,465,000	1,890,000
Round Mountain	<b>3,947,000</b>	3,340,000	3,067,000	3,497,000	3,882,000
Kettle River	<b>242,000</b>	215,000	169,000	150,000	7,500
Total Water Withdrawn – Surface Water (m <sup>3</sup> )					
Fort Knox	<b>197,000</b>	151,000	1,644,000	1,008,000	1,316,000
Round Mountain	<b>0</b>	0	0	0	0
Kettle River	<b>0</b>	0	0	0	0
Total Water Withdrawn – Precipitation Captured (m <sup>3</sup> )					
Fort Knox	<b>1,938,000</b>	2,263,000	1,253,000	613,000	528,000
Round Mountain	<b>163,000</b>	166,000	77,000	59,000	0
Kettle River	<b>62,000</b>	63,000	91,000	106,000	56,000
Recycled Water (Percentage of Total Water Withdrawn)					
Fort Knox	<b>833</b>	757	396	638	515
Round Mountain	<b>587</b>	547	600	543	500
Kettle River	<b>125</b>	137	174	n/r	143
Total Water Consumed in Ore Processing (m <sup>3</sup> )					
Fort Knox	<b>2,637,900</b>	4,229,000	2,897,000	1,008,000	1,192,000
Round Mountain	<b>1,404,000</b>	1,887,000	1,677,000	1,393,000	1,336,000
Kettle River	<b>206,000</b>	181,000	171,000	127,000	0
Water Consumed per Tonne of Ore Processed (Litres/Tonne)					
Fort Knox	<b>85</b>	164	179	73	94
Round Mountain <sup>12</sup>	<b>90</b>	124	112	77	72
Kettle River	<b>466</b>	416	607	1,649	0
Total Water Discharged – Groundwater (m <sup>3</sup> )					
Fort Knox	<b>0</b>	0	0	0	0
Round Mountain	<b>1,136,000</b>	749,000	641,000	737,000	688,000
Kettle River	<b>172,000</b>	124,000	129,000	89,000	0
Total Water Discharged – Surface Water (m <sup>3</sup> )					
Fort Knox	<b>0</b>	0	0	0	0
Round Mountain	<b>0</b>	0	0	0	0
Kettle River	<b>38,882</b>	39,000	0	22,500	0

<sup>12</sup> Based on Kinross' share of ownership in Round Mountain (50%).

# 2011 Data tables

## REGIONAL PERFORMANCE STATISTICS – NORTH AMERICA

	2011	2010	2009	2008	2007
<b>Environmental (continued)</b>					
<b>Land Status (100% basis)</b>					
New Reclamation (hectares)					
Fort Knox	0	0	13	0	12
Round Mountain	0	0	0	0	0
Kettle River	0	5	24	7	23
Closed Operations	3	28	8	37	70
Previously Reclaimed (hectares)					
Fort Knox	46	50	37	37	25
Round Mountain	217	217	217	217	253
Kettle River	40	66	42	35	12
Closed Operations	1,146	1,146	1,138	1,101	1,025
New Disturbance (hectares)					
Fort Knox	12	39	135	125	52
Round Mountain	766	62	0	1	1
Kettle River	0	0	7	50	2
Closed Operations	0	0	0	0	0
Previously Disturbed & Unreclaimed (hectares)					
Fort Knox	1,502	1,463	1,328	1,216	1,164
Round Mountain	2,098	2,036	2,036	2,035	1,790
Kettle River	104	104	102	76	81
Closed Operations	36	36	76	84	121
Protected Habitat (hectares)					
Kettle River	212	212	212	212	212
<b>Significant Materials Use</b>					
Diesel Fuel (m <sup>3</sup> )					
Fort Knox	39,400	39,100	36,400	35,500	27,800
Round Mountain	27,800	24,200	24,300	22,900	22,700
Kettle River	3,400	3,300	3,200	1,500	400
Cyanide (Tonnes as CN)					
Fort Knox	1,021	298	541	373	334
Round Mountain	3,282	1,577	1,914	1,621	1,890
Kettle River	898	522	534	47	0
Lime (Tonnes)					
Fort Knox	7,568	2,462	2,914	146	3,408
Round Mountain	32,257	26,325	19,201	20,427	30,194
Kettle River	1,223	997	567	137	0
Blasting Agents (Tonnes)					
Fort Knox	5,800	7,483	8,950	9,626	7,902
Round Mountain	4,942	5,648	5,555	6,876	5,720
Kettle River	831	641	733	238	210

# 2011 Data tables

## REGIONAL PERFORMANCE STATISTICS – NORTH AMERICA

	2011	2010	2009	2008	2007
<b>Environmental (continued)</b>					
<b>Wastes</b>					
Waste Rock Mined (Tonnes)					
Fort Knox	<b>23,311,000</b>	18,679,000	36,200	14,551,000	21,670,000
Round Mountain	<b>15,029,000</b>	18,717,000	20,040,000	20,658,000	23,717,000
Kettle River	<b>171,000</b>	82,200	255,000	143,000	406
Tailings Produced (Tonnes)					
Fort Knox	<b>13,418,000</b>	17,962,000	12,830,000	12,191,000	12,275,000
Round Mountain	<b>1,421,000</b>	1,996,000	1,701,000	1,744,000	1,774,000
Kettle River	<b>443,000</b>	436,000	282,000	77,000	0
Hazardous Waste Disposed On Site (Tonnes)					
Fort Knox	<b>0</b>	0	0	0	0
Round Mountain	<b>0</b>	0	0	0	0
Kettle River	<b>1</b>	1.0	0	0	0
Hazardous Waste Disposed Off Site (Tonnes)					
Fort Knox	<b>8.9</b>	2.1	4.9	1.5	2.3
Round Mountain	<b>1.6</b>	2.6	7.7	9.7	7.0
Kettle River	<b>5.2</b>	5.3	4.1	2.8	0.3
Non-hazardous Waste Disposed On Site (Tonnes)					
Fort Knox	<b>0</b>	21.5	33.6	23.1	25.3
Round Mountain	<b>16,784<sup>13</sup></b>	792.5	857.5	204.0	217.3
Kettle River	<b>0</b>	0	0	0	0
Non-hazardous Waste Disposed Off Site (Tonnes)					
Fort Knox	<b>652.5</b>	240.0	108.0	31.3	64.2
Round Mountain	<b>19</b>	5.1	9.5	11.7	12.6
Kettle River	<b>16.14</b>	504.7	263.0	165.0	n/r

## REGIONAL INFORMATION – SOUTH AMERICAN OPERATIONS

### Operations

<b>Paracatu (Brazil)</b>					
Mining Method: Open Pit					
Processing Method: Flotation, carbon-in-leach, gravity					
Employees	<b>1,245</b>	900	827	673	603
Ore Processed (Tonnes) <sup>14</sup>	<b>44,532,000</b>	42,658,000	39,744,000	20,307,000	19,285,000
Attributable Gold Production (Gold equivalent ounces)	<b>453,396</b>	482,397	354,396	188,156	174,987
<b>Crixás (Brazil) 50% owned</b>					
Mining Method: Underground					
Processing Method: Gravity, Merrill-Crowe					
Employees <sup>15</sup>	<b>1,039</b>	1,268	965	n/r	n/r
Ore Processed (Tonnes) <sup>16</sup>	<b>585,000</b>	566,000	518,000	404,000	409,000
Attributable Gold Production (Gold equivalent ounces)	<b>66,583</b>	74,777	74,654	n/r	n/r

<sup>13</sup> Includes a one-time amount of 15,981 tonnes of petroleum-contaminated soils, which had been stored in mine site bioremediation cells. In 2011 these soils were characterized as non-hazardous waste and disposed of in a permitted on-site facility."

<sup>14</sup> Represents 100% basis of tonnes of ore processed.

<sup>15</sup> <http://www.aga-reports.com/11/financial-statements/review-of-operations/americas/brazil>

<sup>16</sup> Represents Kinross' share of ownership in Crixás (50%).

n/r = not reported

# 2011 Data tables

## REGIONAL INFORMATION – SOUTH AMERICAN OPERATIONS

	2011	2010	2009	2008	2007
<b>Operations (continued)</b>					
<b>Maricunga (Chile)</b>					
Mining Method: Open Pit					
Processing Method: Heap leach					
Employees	474	465	452	431	406
Ore Processed (Tonnes) <sup>17</sup>	15,258,000	14,267,000	15,613,000	15,027,000	12,603,000
Attributable Gold Production (Gold equivalent ounces)	236,249	156,590	233,585	221,882	205,750
<b>La Coipa (Chile)</b>					
Mining Method: Open Pit					
Processing Method: Mill, Merrill-Crowe					
Employees	443	414	402	424	n/r
Ore Processed (Tonnes) <sup>18</sup>	4,278,000	4,445,000	4,907,000	4,918,000	1,822,000
Attributable Gold Production (Gold equivalent ounces)	178,287	196,330	231,169	226,293	197,554

## REGIONAL PERFORMANCE STATISTICS – SOUTH AMERICA

### Safety (100% basis)

<b>Fatalities (Number)</b>					
Paracatu	0	0	0	0	0
Crixás	0	0	0	1	1
Maricunga	0	0	0	0	0
La Coipa	0	0	0	0	0
Fruta Del Norte	0	0	0	–	–
Lobo-Marté	0	0	0	–	–
<b>Lost-time Injury Frequency Rate</b>					
Paracatu	0.14	0.09	0.07	0.50	0.31
Crixás	0.00	0.08	0.14	n/r	n/r
Maricunga	0.48	0.66	0.26	1.53	1.50
La Coipa	0.29	0.00	0.43	0.59	n/r
Fruta Del Norte	0.00	0.80	0.00	–	–
Lobo-Marté	0.00	0.00	0.00	–	–
<b>Restricted Work Activity Frequency Rate</b>					
Paracatu	0.00	0.00	0.00	0.71	0.03
Crixás	0.00	0.00	0.00	n/r	n/r
Maricunga	0.00	0.00	0.00	0.00	0.00
La Coipa	0.00	0.00	0.00	0.00	n/r
Fruta Del Norte	0.00	0.00	0.41	–	–
Lobo-Marté	0.00	0.00	0.00	–	–
<b>Medical Treatment Frequency Rate</b>					
Paracatu	0.62	0.37	0.72	0.41	0.49
Crixás	0.70	1.44	1.58	n/r	n/r
Maricunga	0.14	0.00	0.00	0.19	0.35
La Coipa	0.22	0.00	0.32	0.49	n/r
Fruta Del Norte	0.69	1.61	0.81	–	–
Lobo-Marté	0.00	0.51	0.00	–	–

<sup>17</sup> Represents 100% of tonnes of ore processed except for reporting years 2007, which reflects Kinross' 50% ownership until 2/27/2007, and 2006, which reflects 50% ownership.

<sup>18</sup> Represents 100% of tonnes of ore processed except for reporting years 2007, which reflects Kinross' 50% ownership until 12/21/2007, and 2006, which reflects 50% ownership.

n/r = not reported



# 2011 Data tables

## REGIONAL PERFORMANCE STATISTICS – SOUTH AMERICA

	2011	2010	2009	2008	2007
<b>Environmental</b>					
<b>General (100% basis)</b>					
Number of Regulatory Actions					
Paracatu	0	1	1	0	0
Crixás	0	0	0	0	0
Maricunga	0	0	0	0	0
La Coipa	0	0	0	0	1
Other	1	0	1	0	0
Fines Paid					
Paracatu	0	0	74,850	0	0
Crixás	0	0	0	0	0
Maricunga	0	0	0	0	0
La Coipa	0	0	0	0	22,800
Other	2,700	0	0	0	0
Number of Reportable Releases					
Paracatu	1	2	0	0	0
Crixás	n/r	0	0	0	0
Maricunga	0	0	0	0	0
La Coipa	1	0	0	0	0
<b>Energy/Greenhouse Gas</b>					
Total Energy Consumption in Gigajoules					
Paracatu	3,300,000	3,110,000	2,802,000	1,183,000	1,081,000
Crixás	222,000	217,000	84,200	68,800	n/r
Maricunga	1,238,000	1,127,000	981,000	852,000	748,000
La Coipa	1,139,000	952,000	978,000	947,000	504,000
Direct Energy Consumption in Gigajoules					
Paracatu	730,000	587,000	575,000	385,000	330,000
Crixás	66,000	69,000	84,100	68,700	n/r
Maricunga	938,000	834,000	687,000	563,000	468,000
La Coipa	591,000	461,000	463,000	412,000	242,000
Indirect Energy Consumed in Gigajoules					
Paracatu	2,571,000	2,523,000	2,227,000	799,000	751,000
Crixás	156,000	148,000	134	111	n/r
Maricunga	300,000	294,000	294,000	289,000	279,000
La Coipa	548,000	492,000	515,000	535,000	262,000
Energy Consumed per Tonne Ore Processed (Megajoules/Tonne)					
Paracatu	74	73	70	58	56
Crixás	380	383	163	341	n/r
Maricunga	81	79	63	57	55
La Coipa	266	214	199	193	284
Greenhouse Gas Emissions (Tonnes)					
Paracatu	244,000	230,000	188,000	82,900	79,400
Crixás	16,000	16,000	4,800	4,000	n/r
Maricunga	108,000	100,000	89,300	79,400	70,800
La Coipa	116,000	98,000	102,000	100,000	52,100
Greenhouse Gas Emissions per Tonne of Ore Processed (Kilograms/Tonne)					
Paracatu	5	5	4.7	4.1	4.1
Crixás	28	28	9.3	19.7	n/r
Maricunga	7	7	5.7	5.3	5.2
La Coipa	27	22	20.7	20.4	29.4

n/r = not reported

# 2011 Data tables

## REGIONAL PERFORMANCE STATISTICS – SOUTH AMERICA

	2011	2010	2009	2008	2007
<b>Environmental (continued)</b>					
<b>Water Use</b>					
Total Water Withdrawn – Groundwater (m <sup>3</sup> )					
Paracatu	<b>1,900</b>	30,100	29,300	32,600	32,600
Maricunga	<b>2,186,000</b>	2,122,000	2,216,000	2,007,000	1,628,000
La Coipa	<b>0</b>	0	0	0	0
Total Water Withdrawn – Surface Water (m <sup>3</sup> )					
Paracatu	<b>10,701,000</b>	9,749,000	11,108,000	8,479,000	9,034,000
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>0</b>	0	0	0	0
Total Water Withdrawn – Precipitation Captured (m <sup>3</sup> )					
Paracatu	<b>26,322,000</b>	17,618,000	15,524,000	10,516,000	10,193,000
Maricunga	<b>17,100</b>	n/r	n/r	n/r	n/r
La Coipa	<b>19</b>	177	n/r	n/r	n/r
Total Water Withdrawn – Salt/Brackish Water					
Paracatu	<b>0</b>	0	0	0	0
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>2,069,000</b>	2,045,000	2,002,000	1,785,000	779,000
Recycled Water (Percentage of Total Water Withdrawn)					
Paracatu	<b>248</b>	334	243	208	195
Maricunga	<b>893</b>	1108	1020	1371	1436
La Coipa	<b>61</b>	56	49	74	138
Total Water Consumed in Ore Processing (m <sup>3</sup> )					
Paracatu	<b>36,000,000</b>	27,317,000	26,632,000	18,996,000	19,227,000
Maricunga	<b>2,473,000</b>	1,965,000	2,174,000	2,201,000	1,870,000
La Coipa	<b>1,154,000</b>	1,145,000	988,000	1,326,000	537,000
Water Consumed per Tonne of Ore Processed (Litres/Tonne)					
Paracatu	<b>808</b>	640	670	935	997
Maricunga	<b>162</b>	138	139	146	137
La Coipa	<b>270</b>	258	201	270	303
Total Water Discharged – Groundwater (m <sup>3</sup> )					
Paracatu	<b>0</b>	0	0	0	0
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>363,000</b>	358,000	408,000	409,000	202,000
Total Water Discharged – Surface Water (m <sup>3</sup> )					
Paracatu	<b>1,954,000</b>	1,051,000	1,051,000	965,000	901,000
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>0</b>	0	0	0	0

n/r = not reported

# 2011 Data tables

## REGIONAL PERFORMANCE STATISTICS – SOUTH AMERICA

	2011	2010	2009	2008	2007
<b>Environmental (continued)</b>					
<b>Land Status (100% basis)</b>					
New Reclamation (hectares)					
Paracatu	74	126	113	25	142
Maricunga	0	0	0	0	0
La Coipa	0	0	0	0	0
Previously Reclaimed (hectares)					
Paracatu	537	411	167	142	0
Maricunga	0	0	0	0	0
La Coipa	0	0	0	0	0
New Disturbance (hectares)					
Paracatu	382	190	345	277	84
Maricunga	37	78	11	0	0
La Coipa	20	21	21	21	24
Previously Disturbed & Unreclaimed (hectares)					
Paracatu	1,783	1,667	1,448	1,284	1,225
Maricunga	824	746	735	735	735
La Coipa	209	188	167	147	123
Protected Habitat (hectares)					
Paracatu	4,035	4,079	3,428	1,519	1,519
Maricunga	64	27	27	27	27
La Coipa	3	3	3	3	3
<b>Significant Materials Use</b>					
Diesel Fuel (m <sup>3</sup> )					
Paracatu	25,000	15,900	9,000	9,000	9,000
Maricunga	25,000	21,000	17,000	13,700	11,100
La Coipa	20,000	12,500	12,500	11,100	6,500
Cyanide (Tonnes as CN)					
Paracatu	804	745	590	251	280
Maricunga	4,663	5,162	2,460	2,967	2,563
La Coipa	1,925	2,300	1,307	1,697	1,063
Lime (Tonnes)					
Paracatu	5,924	5,767	5,800	2,492	1,718
Maricunga	73,612	41,538	24,527	32,380	39,719
La Coipa	14,392	12,176	12,698	11,113	4,815
Blasting Agents (Tonnes)					
Paracatu	9,058	7,796	5,992	897	38
Maricunga	7,276	10,002	6,546	8,295	6,295
La Coipa	14,678	6,541	3,593	3,370	1,232

# 2011 Data tables

## REGIONAL PERFORMANCE STATISTICS – SOUTH AMERICA

	2011	2010	2009	2008	2007
<b>Environmental (continued)</b>					
<b>Wastes</b>					
Waste Rock Mined (Tonnes)					
Paracatu	<b>10,758,000</b>	1,460,000	2,290,000	160,000	0
Maricunga	<b>15,290,000</b>	13,752,000	10,988,000	10,793,000	10,750,000
La Coipa	<b>23,348,000</b>	21,029,000	10,434,000	7,889,000	5,457,000
Tailings Produced (Tonnes)					
Paracatu	<b>43,561,000</b>	41,779,000	39,090,000	20,917,000	19,033,000
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>4,654,000</b>	4,645,000	4,984,000	5,047,000	2,103,000
Hazardous Waste Disposed On Site (Tonnes)					
Paracatu	<b>971,277</b>	878,707	654,419	298,738	251,889
Maricunga	<b>584</b>	0	0	0	0
La Coipa	<b>0</b>	0	0	0	0
Hazardous Waste Disposed Off Site (Tonnes)					
Paracatu	<b>580</b>	278.9	222.1	131.8	26.2
Maricunga	<b>135</b>	43.2	39.0	79.0	15.0
La Coipa	<b>74</b>	89.2	149.0	142.6	82.2
Non-hazardous Waste Disposed On Site (Tonnes)					
Paracatu	<b>1,762</b>	2,417	892	1,427	1,574
Maricunga	<b>260</b>	872	2,248	3,308	2,672
La Coipa	<b>1,339</b>	1,829	533	490	150
Non-hazardous Waste Disposed Off Site (Tonnes)					
Paracatu	<b>745</b>	870	1,186	239	162
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>0</b>	0	0	0	0

# 2011 Data tables

## REGIONAL INFORMATION – RUSSIAN OPERATIONS

	2011	2010	2009	2008	2007
<b>Operations</b>					
<b>Kupol</b>					
Mining Method: Open Pit and Underground					
Processing Method: Merrill-Crowe					
Employees	1,154	1,092	1,023	988	555
Ore Processed (Tonnes) <sup>19</sup>	1,140,000	872,000	858,000	464,000	0
Attributable Gold Production (Gold equivalent ounces)	587,049	554,008	694,130	469,907	0

## REGIONAL PERFORMANCE STATISTICS – RUSSIA

### Safety (100% basis)

<b>Fatalities (Number)</b>					
Kupol	0	1	2	1	0
Dvoinoye	0	0	–	–	–
<b>Lost-time Injury Frequency Rate</b>					
Kupol	0.13	0.25	0.28	0.74	1.27
Dvoinoye	0	0	–	–	–
<b>Restricted Work Activity Frequency Rate</b>					
Kupol	0.00	0.06	0.21	0.17	0.00
Dvoinoye	0	1.67	–	–	–
<b>Medical Treatment Frequency Rate</b>					
Kupol	0.20	0.25	0.63	0.50	0.68
Dvoinoye	0	0	–	–	–

### Environmental

#### General (100% basis)

<b>Number of Regulatory Actions</b>					
Kupol	0	0	0	0	1
<b>Fines Paid (US\$)</b>					
Kupol	0	0	0	0	1,090
Other	0	0	0	0	4,029
<b>Reportable Releases (m<sup>3</sup>)</b>					
Kupol	0	2	2	0	0
Other	0	0	0	0	1

#### Energy/Greenhouse Gas

<b>Total Energy Consumption in Gigajoules</b>					
Kupol	1,407,000	1,143,000	682,000	888,000	362,000
<b>Direct Energy Consumption in Gigajoules</b>					
Kupol	1,407,000	1,143,000	682,000	888,000	362,000
<b>Indirect Energy Consumed in Gigajoules</b>					
Kupol	0	0	0	0	0
<b>Energy Consumed per Tonne Ore Processed (Megajoules/Tonne)</b>					
Kupol	1,245	1,300	596	1,369	–
<b>Greenhouse Gas Emissions (Tonnes)</b>					
Kupol	103,000	83,818	50,100	65,200	26,600
<b>Greenhouse Gas Emissions per Tonne of Ore Processed (Kilograms/Tonne)</b>					
	91	96	43.8	100.5	–

<sup>19</sup> Represents Kinross' share of ownership in Kupol (75% until April 27, 2011 and 100% thereafter).

# 2011 Data tables

## REGIONAL PERFORMANCE STATISTICS – RUSSIA

	2011	2010	2009	2008	2007
<b>Environmental (continued)</b>					
<b>Water Use</b>					
Total Water Withdrawn – Groundwater (m <sup>3</sup> )					
Kupol	<b>21,800</b>	28,700	17,800	107,000	37,500
Total Water Withdrawn – Surface Water (m <sup>3</sup> )					
Kupol	<b>319,000</b>	263,000	230,000	327,000	54,900
Total Water Withdrawn – Precipitation Captured (m <sup>3</sup> )					
Kupol	<b>434,000</b>	411,000	488,000	403,000	0
Recycled Water (percentage of Total Water Withdrawn)					
Kupol	<b>203</b>	171	159	71	0
Total Water Consumed in Ore Processing (m <sup>3</sup> )					
Kupol	<b>490,000</b>	582,000	623,000	140,000	0
Water Consumed per Tonne of Ore Processed (Litres/Tonne)					
Kupol	<b>430</b>	667	726	303	0
Total Water Discharged – Groundwater (m <sup>3</sup> )					
Kupol	<b>0</b>	0	0	0	0
Total Water Discharged – Surface Water (m <sup>3</sup> )					
Kupol	<b>2,000</b>	1,500	1,800	23,300	37,600
<b>Land Status (100% basis)</b>					
New Reclamation (hectares)					
Kupol	<b>50</b>	3	11	7	0
Previously Reclaimed (hectares)					
Kupol	<b>68</b>	15	7	0	0
New Disturbance (hectares)					
Kupol	<b>23</b>	1	162	0	907
Previously Disturbed & Unreclaimed (hectares)					
Kupol	<b>999</b>	1,048	889	900	0
Protected Habitat (hectares)					
Kupol	<b>0</b>	0	0	0	0
<b>Significant Materials Use</b>					
Diesel Fuel (m <sup>3</sup> )					
Kupol	<b>37,000</b>	28,700	18,000	23,600	9,600
Cyanide (Tonnes as CN)					
Kupol	<b>704</b>	557	540	336	0
Lime (Tonnes)					
Kupol	<b>6,571</b>	5,456	10,037	6,134	0
Blasting Agents (Tonnes)					
Kupol	<b>3,439</b>	1,907	1,970	1,370	1,004
<b>Wastes</b>					
Waste Rock Mined (Tonnes)					
Kupol	<b>3,746,000</b>	3,490,000	3,490,000	520,000	2,762,000
Tailings Produced (Tonnes)					
Kupol	<b>1,070,000</b>	1,050,000	858,000	486,000	0
Hazardous Waste Disposed On Site (Tonnes)					
Kupol	<b>55</b>	45.2	68.1	4.7	7.7
Hazardous Waste Disposed Off Site (Tonnes)					
Kupol	<b>28</b>	0	0	0	0
Non-hazardous Waste Disposed On Site (Tonnes)					
Kupol	<b>1,828</b>	1,767	1,761	274	4,105
Non-hazardous Waste Disposed Off Site (Tonnes)					
Kupol	<b>891</b>	315	0	0	0

# 2011 Data tables

## REGIONAL INFORMATION – WEST AFRICA <sup>20</sup>

	2011	2010
<b>Operations</b>		
<b>Chirano (Ghana)</b>		
Mining Method: Open Pit and Underground		
Processing Method: Carbon-in-leach		
Employees	807	425
Ore Processed (Tonnes) <sup>21</sup>	3,215,000	1,028,000
Attributable Gold Production (Gold equivalent ounces)	236,000	80,298
<b>Tasiast (Mauritania)</b>		
Mining Method: Open Pit		
Processing Method: Carbon-in-leach, heap leaching		
Employees	1,130	689
Ore Processed (Tonnes) <sup>22</sup>	11,453,000	2,059,000
Attributable Gold Production (Gold equivalent ounces)	200,619	56,611

## REGIONAL PERFORMANCE STATISTICS – WEST AFRICA

### Safety (100% basis)

Fatalities (Number)		
Chirano	0	0
Tasiast	0	0
Tasiast Expansion and Exploration	0	0
Lost-time Injury Frequency Rate		
Chirano	0.06	0.26
Tasiast	0.82	0.00
Tasiast Expansion and Exploration	0.93	0.00
Restricted Work Activity Frequency Rate		
Chirano	0.66	0.26
Tasiast	0.11	0.00
Tasiast Expansion and Exploration	0.16	0.00
Medical Treatment Frequency Rate		
Chirano	0.63	1.43
Tasiast	0.38	2.44
Tasiast Expansion and Exploration	0.16	0.00

<sup>20</sup> Data for environmental performance for Tasiast and Chirano is reported beginning with the fiscal year 2011. Data for 2010 is subsequent to the close of the Red Back acquisition on September 17, 2010.

<sup>21</sup> Represents Kinross' share of ownership in Chirano (90%).

<sup>22</sup> Represents 100% basis of tonnes of ore processed.

# 2011 Data tables

## REGIONAL PERFORMANCE STATISTICS – WEST AFRICA

	2011	2010
<b>Environmental</b>		
<b>General (100% basis)</b>		
Number of Regulatory Actions		
Chirano	0	0
Tasiast	0	0
Fines Paid		
Chirano	0	0
Tasiast	0	0
Number of Reportable Releases		
Chirano	1	1
Tasiast	6	1
<b>Energy/Greenhouse Gas</b>		
Total Energy Consumption in Gigajoules		
Chirano	1,102,000	136,000
Tasiast	1,884,000	353,000
Direct Energy Consumption in Gigajoules		
Chirano	719,000	10,000
Tasiast	1,884,000	353,000
Indirect Energy Consumed in Gigajoules		
Chirano	383,000	126,000
Tasiast	0	0
Energy Consumed per Tonne Ore Processed (Megajoules/Tonne)		
Chirano	343	137
Tasiast	165	162
Greenhouse Gas Emissions (Tonnes)		
Chirano	114,000	21,000
Tasiast	138,000	26,000
Greenhouse Gas Emissions per Tonne of Ore Processed (Kilograms/Tonne)		
Chirano	36	21
Tasiast	12	12



# 2011 Data tables

## REGIONAL PERFORMANCE STATISTICS – WEST AFRICA

	2011
<b>Environmental (continued)</b>	
<b>Water Use</b>	
Total Water Withdrawn – Groundwater (m <sup>3</sup> )	
Chirano	129,000
Tasiast	0
Total Water Withdrawn – Surface Water (m <sup>3</sup> )	
Chirano	727,000
Tasiast	0
Total Water Withdrawn – Precipitation Captured (m <sup>3</sup> )	
Chirano	1,080,000
Tasiast	0
Total Water Withdrawn – Salt/Brackish Water	
Chirano	0
Tasiast	3,855,000
Recycled Water (Percentage of Total Water Withdrawn)	
Chirano	183
Tasiast	224
Total Water Consumed in Ore Processing (m <sup>3</sup> )	
Chirano	1,807,000
Tasiast	2,283,000
Water Consumed per Tonne of Ore Processed (Litres/Tonne)	
Chirano	562
Tasiast	199
Total Water Discharged – Groundwater (m <sup>3</sup> )	
Chirano	0
Tasiast	0
Total Water Discharged – Surface Water (m <sup>3</sup> )	
Chirano	157,000
Tasiast	–
<b>Land Status (100% basis)</b>	
New Reclamation (hectares)	
Chirano	0
Tasiast	0
Previously Reclaimed (hectares)	
Chirano	0
Tasiast	0
New Disturbance (hectares)	
Chirano	128
Tasiast	2,990
Previously Disturbed & Unreclaimed (hectares)	
Chirano	0
Tasiast	345
Protected Habitat (hectares)	
Chirano	1,562
Tasiast	–

# 2011 Data tables

## REGIONAL PERFORMANCE STATISTICS – WEST AFRICA

	2011
<b>Environmental (continued)</b>	
<b>Significant Materials Use</b>	
Diesel Fuel (m <sup>3</sup> )	
Chirano	20,200
Tasiast	40,400
Heavy Fuel Oil (m <sup>3</sup> )	
Tasiast	10,000
Cyanide (Tonnes as CN)	
Chirano	353
Tasiast	1,903
Lime (Tonnes)	
Chirano	3,884
Tasiast	22,769
Blasting Agents (Tonnes)	
Chirano	4,479
Tasiast	7,853
<b>Wastes</b>	
Waste Rock Mined (Tonnes)	
Chirano	19,411,000
Tasiast	38,741,000
Tailings Produced (Tonnes)	
Chirano	4,573,000
Tasiast	2,600,000
Hazardous Waste Disposed On Site (Tonnes)	
Chirano	0
Tasiast	0
Hazardous Waste Disposed Off Site (Tonnes)	
Chirano	327
Tasiast	0
Non-hazardous Waste Disposed On Site (Tonnes)	
Chirano	341
Tasiast	0
Non-hazardous Waste Disposed Off Site (Tonnes)	
Chirano	0
Tasiast	0